



# Tanning Lamp - Data Sheet

## megaTrend beautyLight R 160W C 75 CS

KBL part.-No. 3230076260  
 Dimensions 1750 x 38mm  
 Base G13 Bi-Pin



### Relative Spectral Distribution



### Electrical Data (nominal values)

Lamp Wattage	160 W	Lamp Voltage	85 V
Lamp Current	1,80 A	Ballast	160 W

### Physical Data (nominal values)

UVA Radiation Flux	0 W	E <sub>er</sub> (250-400 nm)	0,0 mW/m <sup>2</sup>
UVB/UVA Ratio		E <sub>er</sub> (320-400 nm)	0,0 mW/m <sup>2</sup>
EUR (UVB 280-315)	0,0 %	E <sub>er</sub> (250-320 nm)	0,0 mW/m <sup>2</sup>
USA (UVB 260-320)	0,0 %	NMSC Ratio (≤320/>320nm)	N/A
		Useful life (recommended)	800 h

### Recommended Exposure Times

Start Time *	N/A	TE*	N/A
Max. Time for Skin Type II*	N/A	TM*	N/A
Max. Time for Skin Type III*	N/A		
Max. Time for Skin Type IV*	N/A		

\*For a typical irradiance in a bed of 0 W/m<sup>2</sup>  
 These results will vary depending on the size and type of bed the lamp is installed